

NATURA 2000 - STANDARD DATA FORM

DRAFT exported from Reportnet 3 - [15/01/2026]
Isola Boschina (IT20B0007 - SPA/SCI)

Table of contents

1.Site identification 2.Site location 3.Ecological information 4.Site description 5.Site protection status
6.Site management 7.Map of the site

1. Site identification

1.1 Site type

C

1.2 Site code

IT20B0007

1.3 Site name

Isola Boschina

1.3.1 Site name non-latin alphabet (optional)

1.4 Respondent

1.4.1 Name of the organisation

Regione Lombardia Direzione Generale
Territorio e Sistemi verdi - Struttura Natura e
biodiversità

1.4.2 Contact point in the organisation (optional)

1.4.3 Postal address

Piazza Città di Lombardia 1, 20124 Milano

1.4.4 Functional mailbox email address

territorio_sistemiverdi@pec.regione.lombardia
.it

1.4.5 Website with contact information

<https://www.regione.lombardia.it/wps/portal/istituzionale/HP/DettaglioRedazionale/istituzione/direzioni-general/direzione-generale-territorio-e-sistemi-verdi/organizzazione-e-uffici/unita-organizzativa-parchi-biodiversita-e-sistema-delle-conoscenze/unita-organizzativa-parchi-biodiversita-e-sistema-delle-conoscenze>

1.5 Site classification/proposal/designation dates

1.5.1 Date site first classified as SPA

2005-04

1.5.2 SPA classification act (URI)

1.5.2 SPA classification act (free text)

D.G.R. 16338/2004

1.5.3 Date site first proposed as SCI

1995-06

Date confirmed as SCI

populated by EEA on behalf of the European Commission

1.5.4 Date site designated as SAC

2016-07

1.5.5 SAC designation act (URI)

<https://www.gazzettaufficiale.it/eli/gu/2016/08/10/186/sg/pdf>

1.5.5 SAC designation act (free text)

DM 15/07/2016 G.U. 186 del 10-08-2016

1.5.6 Explanations (optional)

2. Site location

2.1 Location calculated by the European Environment Agency

Longitude

calculated by the EEA after release in Reportnet 3

Latitude

calculated by the EEA after release in Reportnet 3

2.1.1 Area (ha)

39

2.1.2 Reason for area difference with spatial dataset (if any)

2.1.3 Reason for area difference – explanations

2.2 Administrative region (optional)

2.2.1 Administrative region code	2.2.2 Administrative region name
ITC4	LOMBARDIA

2.3 Biogeographical and marine regions

2.3.1 Region code	2.3.2 Percentage	Fully marine SCI/SAC (100 %) must be attributed to a biogeographical
Continental	100	Continental

3. Ecological information

3.1 Habitat types of Annex I of council directive 92/43/EEC present on the site

3.1.a Essential information (habitat type)

Annex I habitat types							
3.1.1		3.1.2	3.1.3	3.1.4	3.1.5	3.1.6	3.1.7
Code	Name	Priority form	Not present	Cover [ha]	Caves [number]	Method cover	Last data collection
91E0	Alluvial forests with <i>Alnus glutinosa</i> and <i>Fraxinus excelsior</i> (Alno-Padion, Alnion incanae, Salicion albae)	No		5.62		complete	
91F0	Riparian mixed forests of <i>Quercus robur</i> , <i>Ulmus laevis</i> and <i>Ulmus minor</i> , <i>Fraxinus excelsior</i> or <i>Fraxinus angustifolia</i> , along the great rivers (<i>Ulmion minoris</i>)	No		16.46		complete	

Priority Form: For habitat types 6210, 7130, 9430 priority depends on the habitat characteristics. Indicated as Yes/No.

Not Present: Indicates whether the habitat type is no longer present (noLongerPresent) on the site, or its re-establishment is planned (reEstablishment).

Cover: Shows the size of habitat type as decimal values.

Caves: For habitat types 8310 and 8330 (caves), the number of caves can be entered when a surface area is not available or appropriate.

Method used for cover: Method used for cover: complete = complete survey or a statistically robust estimate; limited = based mainly on extrapolation from a limited amount of data; insufficient = insufficient or no data available

Last data collection: Date or period of the last data collection.

3.1.b Site assessment (habitat type)

3.1.1		3.1.2	3.1.8	3.1.9	3.1.10	3.1.12.1	3.1.12.2	3.1.12.3	3.1.13	3.1.14	3.1.15	3.1.16
Code	Name	Priority form	Significance	Representativity	Relative surface	Conservation	Conservation area	Conservation method	Conservation objectives	Objectives further explanation	Global	Update date
91E0	Alluvial forests with <i>Alnus glutinosa</i> and <i>Fraxinus excelsior</i> (Alno-Padion, <i>Alnion incanae</i> , <i>Salicion albae</i>)	No	significant	C	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	C					C	202412
91F0	Riparian mixed forests of <i>Quercus robur</i> , <i>Ulmus laevis</i> and <i>Ulmus minor</i> , <i>Fraxinus excelsior</i> or <i>Fraxinus angustifolia</i> , along the great rivers (<i>Ulmenion minoris</i>)	No	significant	C	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B					B	202412

Priority Form: For habitat types 6210, 7130, 9430 priority depends on the habitat characteristics. Indicated as Yes/No.

Significance: Indicates if the occurrence is significant or not.

Representativity: Degree of representativity of the habitat type on the site: A = excellent; B = good; C = significant

Relative Surface: Area of the site covered by the habitat type in relation to the total area covered by that habitat type within the national territory, assigned to following percentage classes: A1 = 75-100%; A2 = 50-75%; A3 = 25-50%; A4 = 15-25%; B = 2-15%; C = smaller than 2%.

Conservation: Degree of conservation: A = excellent (nearly all of the habitat area in good condition); B = good (most of the habitat area in good condition); C = reduced (most of the habitat area in not good condition); X = unknown (most or all of the habitat area in unknown condition).

Conservation area: Area of conservation degree categories in good (A + B), not good (C), unknown (X) conditions as hectare values.

Conservation method: Method used for degree of conservation: complete = Complete survey or statistically robust estimate in hectares (for example taken from mapping in management plans); limited = Based mainly on extrapolation from a limited amount of data (expert judgement); veryLimited = Based mainly on expert opinion with very limited data (based on partial mapping data); insufficient = Insufficient or no data available.

Conservation objectives: prevent = Prevent deterioration; maintain = Maintain the habitat type's surface area and its good condition; enlarge = Enlarge the area of the habitat type; improve = Improve the habitat type condition; reestablish = Re-establish the habitat type; other = Other.

Global: Global assessment of the habitat type in the site: A = excellent; B = good; C = significant.

Updated date: Date or period of the last update.

3.2 Species referred to in Article 4 of Directive 2009/147/EC and species listed in Annex II to Directive 92/43/EEC present on the site

3.2.a Essential information (species)

Species				Population in the site							
3.2.1	3.2.2		3.2.4	3.2.5	3.2.6	3.2.7.1	3.2.7.1	3.2.7.2	3.2.8	3.2.9	3.2.10
Group	Code	Scientific name	Sensitive	Not present	Type	Size min	Size max	Unit	Abundance	Mehod Populaton size	Last data collection
A	1215	Rana latastei		noLongerPresent	p						insufficient
A	1167	Triturus carnifex			p				P		insufficient
B	A086	Accipiter nisus			w				R		insufficient
B	A296	Acrocephalus palustris			r				R		insufficient
B	A296	Acrocephalus palustris			c				P		insufficient
B	A168	Actitis hypoleucos			c				P		insufficient

B	A168	Actitis hypoleucos	r				C	insufficient
B	A324	Aegithalos caudatus	p				C	insufficient
B	A229	Alcedo atthis	p	1	2	p		complete
B	A054	Anas acuta	w				R	insufficient
B	A052	Anas crecca	w				R	insufficient
B	A053	Anas platyrhynchos	w				R	insufficient
B	A053	Anas platyrhynchos	c				R	insufficient
B	A257	Anthus pratensis	w				C	insufficient
B	A259	Anthus spinoletta	w				R	insufficient
B	A256	Anthus trivialis	c				P	insufficient
B	A773	Ardea alba	w				P	insufficient
B	A028	Ardea cinerea	c				C	insufficient
B	A028	Ardea cinerea	w				C	insufficient
B	A221	Asio otus	p				P	insufficient
B	A087	Buteo buteo	w				C	insufficient
B	A087	Buteo buteo	c				C	insufficient
B	A149	Calidris alpina	c				P	insufficient
B	A145	Calidris minuta	c				P	insufficient
B	A861	Calidris pugnax	c				P	insufficient
B	A364	Carduelis carduelis	w				C	insufficient
B	A364	Carduelis carduelis	r				C	insufficient
B	A288	Cettia cetti	p				C	insufficient

B	A136	Charadrius dubius	p	C	insufficient
B	A137	Charadrius hiaticula	c	P	insufficient
B	A363	Chloris chloris	w	R	insufficient
B	A363	Chloris chloris	c	R	insufficient
B	A363	Chloris chloris	r	C	insufficient
B	A030	Ciconia nigra	c	V	insufficient
B	A082	Circus cyaneus	w	C	insufficient
B	A084	Circus pygargus	c	P	insufficient
B	A208	Columba palumbus	w	R	insufficient
B	A208	Columba palumbus	c	R	insufficient
B	A208	Columba palumbus	r	R	insufficient
B	A349	Corvus corone	p	C	insufficient
B	A348	Corvus frugilegus	c	C	insufficient
B	A212	Cuculus canorus	r	C	insufficient
B	A483	Cyanistes caeruleus	p	R	insufficient
B	A738	Delichon urbicum	r	C	insufficient
B	A237	Dendrocopos major	p	C	insufficient
B	A026	Egretta garzetta	c	C	insufficient
B	A378	Emberiza cia	c	P	insufficient

B	A376	Emberiza citrinella	c	P	insufficient
B	A269	Erithacus rubecula	w	C	insufficient
B	A269	Erithacus rubecula	c	C	insufficient
B	A099	Falco subbuteo	r	P	insufficient
B	A322	Ficedula hypoleuca	c	C	insufficient
B	A359	Fringilla coelebs	c	C	insufficient
B	A359	Fringilla coelebs	r	R	insufficient
B	A359	Fringilla coelebs	w	C	insufficient
B	A360	Fringilla montifringilla	w	R	insufficient
B	A360	Fringilla montifringilla	c	R	insufficient
B	A125	Fulica atra	w	P	insufficient
B	A153	Gallinago gallinago	c	P	insufficient
B	A123	Gallinula chloropus	p	R	insufficient
B	A342	Garrulus glandarius	p	R	insufficient
B	A131	Himantopus himantopus	c	P	insufficient
B	A299	Hippolais icterina	c	P	insufficient
B	A300	Hippolais polyglotta	c	R	insufficient
B	A300	Hippolais polyglotta	r	C	insufficient

B	A251	Hirundo rustica	r	C	insufficient
B	A233	Jynx torquilla	c	R	insufficient
B	A233	Jynx torquilla	r	C	insufficient
B	A338	Lanius collurio	c	R	insufficient
B	A459	Larus cachinnans	w	R	insufficient
B	A179	Larus ridibundus	w	C	insufficient
B	A476	Linaria cannabina	w	P	insufficient
B	A476	Linaria cannabina	c	P	insufficient
B	A271	Luscinia megarhynchos	c	C	insufficient
B	A271	Luscinia megarhynchos	r	C	insufficient
B	A855	Mareca penelope	c	P	insufficient
B	A073	Milvus migrans	c	P	insufficient
B	A262	Motacilla alba	w	C	insufficient
B	A262	Motacilla alba	r	C	insufficient
B	A261	Motacilla cinerea	r	R	insufficient
B	A261	Motacilla cinerea	w	P	insufficient
B	A260	Motacilla flava	c	R	insufficient
B	A260	Motacilla flava	w	R	insufficient
B	A319	Muscicapa striata	r	R	insufficient

B	A319	Muscicapa striata	c	R	insufficient
B	A023	Nycticorax nycticorax	c	C	insufficient
B	A337	Oriolus oriolus	r	C	insufficient
B	A094	Pandion haliaetus	c	V	insufficient
B	A330	Parus major	p	C	insufficient
B	A620	Passer domesticus	p	C	insufficient
B	A356	Passer montanus	p	C	insufficient
B	A115	Phasianus colchicus	p	C	insufficient
B	A273	Phoenicurus ochruros	w	R	insufficient
B	A274	Phoenicurus phoenicurus	c	R	insufficient
B	A572	Phylloscopus collybita	w	C	insufficient
B	A572	Phylloscopus collybita	c	C	insufficient
B	A314	Phylloscopus sibilatrix	c	P	insufficient
B	A316	Phylloscopus trochilus	c	P	insufficient
B	A343	Pica pica	w	P	insufficient
B	A866	Picus viridis	p	C	insufficient
B	A140	Pluvialis apricaria	c	P	insufficient
B	A493	Poecile palustris	p	R	insufficient
B	A266	Prunella modularis	c	C	insufficient

B	A266	Prunella modularis	w	C	insufficient
B	A318	Regulus ignicapilla	w	R	insufficient
B	A317	Regulus regulus	w	R	insufficient
B	A336	Remiz pendulinus	p	C	insufficient
B	A276	Saxicola torquatus	c	P	insufficient
B	A155	Scolopax rusticola	c	P	insufficient
B	A361	Serinus serinus	r	C	insufficient
B	A361	Serinus serinus	c	R	insufficient
B	A361	Serinus serinus	w	R	insufficient
B	A332	Sitta europaea	p	P	insufficient
B	A856	Spatula querquedula	c	R	insufficient
B	A478	Spinus spinus	w	C	insufficient
B	A478	Spinus spinus	c	C	insufficient
B	A193	Sterna hirundo	c	P	insufficient
B	A885	Sternula albifrons	c	P	insufficient
B	A209	Streptopelia decaocto	p	C	insufficient
B	A210	Streptopelia turtur	c	R	insufficient
B	A210	Streptopelia turtur	r	C	insufficient
B	A219	Strix aluco	p	C	insufficient

B	A351	Sturnus vulgaris	p	C	insufficient
B	A311	Sylvia atricapilla	w	R	insufficient
B	A311	Sylvia atricapilla	r	C	insufficient
B	A311	Sylvia atricapilla	c	C	insufficient
B	A310	Sylvia borin	c	C	insufficient
B	A309	Sylvia communis	c	P	insufficient
B	A574	Sylvia curruca	c	P	insufficient
B	A166	Tringa glareola	c	P	insufficient
B	A164	Tringa nebularia	c	P	insufficient
B	A165	Tringa ochropus	c	P	insufficient
B	A162	Tringa totanus	c	P	insufficient
B	A265	Troglodytes troglodytes	w	C	insufficient
B	A265	Troglodytes troglodytes	c	C	insufficient
B	A286	Turdus iliacus	w	R	insufficient
B	A286	Turdus iliacus	c	R	insufficient
B	A283	Turdus merula	w	C	insufficient
B	A283	Turdus merula	c	C	insufficient
B	A283	Turdus merula	r	C	insufficient
B	A285	Turdus philomelos	w	R	insufficient

B	A285	Turdus philomelos	c	C	insufficient
B	A284	Turdus pilaris	c	P	insufficient
B	A284	Turdus pilaris	w	P	insufficient
B	A213	Tyto alba	p	R	insufficient
B	A142	Vanellus vanellus	c	P	insufficient
I	1060	Lycaena dispar	p	V	insufficient

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Sensitive: Species indicated with “true” are classified as sensitive.

Not Present: Indicates whether the species is no longer present (noLongerPresent) on the site, or its re-establishment is planned (reEstablishment).

Type: Population type of species in the site: p = Permanent: to be found throughout the year on the site (non-migratory species, plants, resident population of migratory species); r = Reproducing: uses the site to raise young (e.g. breeding, nesting); c = Concentration: site used for staging or roosting or migration stop/over or for moulting outside the breeding grounds and excluding wintering; w = Wintering: uses the site during the winter.

Unit: The unit of population size values, the standard is i = individuals, p = pairs. For exceptions see reference portal.

Abundance: Abundance category to be provided if no number of population size is available: C = Common; R = Rare, V = Very rare; P = Present.

Method Population size: Method used for population size: complete = complete survey or a statistically robust estimate; limited = based mainly on extrapolation from a limited amount of data; veryLimited = Based mainly on expert opinion with very limited data; insufficient = insufficient or no data available.

Last data collection: Date or period of the last data collection.

3.2.b Site assessment (species)

3.2.1 Group	3.2.2 Code	3.2.3 Scientific Name	3.2.6 Type	3.2.11 Significance	3.2.12 SPA classification	3.2.13 Population	3.2.14 Population further explanation	3.2.15 Conservation	3.2.15.2 Conservation occupied % area (optional)	3.2.15.3 Conservation occupied % class	3.2.16 Conservation objectives	3.2.17 Objectives further explanation	3.2.18 Isolation	3.2.19 Global	3.2.20 Update date
A	1215	Rana latastei	p												202412
A	1167	Triturus carnifex	p	non-significant											202412
B	A086	Accipiter nisus	w	significant		C		B					C	B	202412
B	A296	Acrocephalus palustris	r	significant		C		B					C	B	202412
B	A296	Acrocephalus palustris	c	significant		C		B					C	B	202412
B	A168	Actitis hypoleucos	c	significant		C		B					C	B	202412
B	A168	Actitis hypoleucos	r	significant		C		B					C	B	202412
B	A324	Aegithalos caudatus	p	significant		C		B					C	B	202412
B	A229	Alcedo atthis	p	non-significant											202412
B	A054	Anas acuta	w	significant		C		B					C	B	202412
B	A052	Anas crecca	w	significant		C		B					C	B	202412
B	A053	Anas platyrhynchos	w	significant		C		B					C	B	202412

B	A053	Anas platyrhynchos	c	significant	C	B	C	B	202412
B	A257	Anthus pratensis	w	significant	C	B	C	B	202412
B	A259	Anthus spinoletta	w	significant	C	B	C	B	202412
B	A256	Anthus trivialis	c	significant	C	B	C	B	202412
B	A773	Ardea alba	w	non-significant					202412
B	A028	Ardea cinerea	c	significant	C	C	C	C	202412
B	A028	Ardea cinerea	w	significant	C	C	C	C	202412
B	A221	Asio otus	p	non-significant					202412
B	A087	Buteo buteo	w	significant	C	B	C	B	202412
B	A087	Buteo buteo	c	significant	C	B	C	B	202412
B	A149	Calidris alpina	c	significant	C	B	C	B	202412
B	A145	Calidris minuta	c	significant	C	B	C	B	202412
B	A861	Calidris pugnax	c	significant	C	B	C	C	202412
B	A364	Carduelis carduelis	w	significant	C	B	C	B	202412
B	A364	Carduelis carduelis	r	significant	C	B	C	B	202412
B	A288	Cettia cetti	p	significant	C	B	C	B	202412

B	A136	Charadrius dubius	p	significant	C	B	C	B	202412
B	A137	Charadrius hiaticula	c	significant	C	B	C	B	202412
B	A363	Chloris chloris	w	significant	C	B	C	B	202412
B	A363	Chloris chloris	c	significant	C	B	C	B	202412
B	A363	Chloris chloris	r	significant	C	B	C	B	202412
B	A030	Ciconia nigra	c	significant	C	B	C	B	202412
B	A082	Circus cyaneus	w	significant	C	B	C	B	202412
B	A084	Circus pygargus	c	non-significant					202412
B	A208	Columba palumbus	w	significant	C	B	C	B	202412
B	A208	Columba palumbus	c	significant	C	B	C	B	202412
B	A208	Columba palumbus	r	significant	C	B	C	B	202412
B	A349	Corvus corone	p	significant	C	B	C	B	202412
B	A348	Corvus frugilegus	c	significant	C	B	C	B	202412
B	A212	Cuculus canorus	r	significant	C	B	C	B	202412
B	A483	Cyanistes caeruleus	p	significant	C	B	C	B	202412
B	A738	Delichon urbicum	r	significant	C	B	C	B	202412

B	A237	Dendrocopos major	p	significant	C	B	C	B	202412
B	A026	Egretta garzetta	c	significant	C	B	C	C	202412
B	A378	Emberiza cia	c	significant	C	B	C	B	202412
B	A376	Emberiza citrinella	c	significant	C	B	C	B	202412
B	A269	Erithacus rubecula	w	significant	C	B	C	B	202412
B	A269	Erithacus rubecula	c	significant	C	B	C	B	202412
B	A099	Falco subbuteo	r	significant	C	B	C	B	202412
B	A322	Ficedula hypoleuca	c	significant	C	B	C	B	202412
B	A359	Fringilla coelebs	c	significant	C	B	C	B	202412
B	A359	Fringilla coelebs	r	significant	C	B	C	B	202412
B	A359	Fringilla coelebs	w	significant	C	B	C	B	202412
B	A360	Fringilla montifringilla	w	significant	C	B	C	B	202412
B	A360	Fringilla montifringilla	c	significant	C	B	C	B	202412
B	A125	Fulica atra	w	non-significant					202412
B	A153	Gallinago gallinago	c	significant	C	B	C	B	202412

B	A123	Gallinula chloropus	p	significant	C	B	C	B	202412
B	A342	Garrulus glandarius	p	significant	C	B	C	B	202412
B	A131	Himantopus himantopus	c	non-significant					202412
B	A299	Hippolais icterina	c	significant	C	B	C	B	202412
B	A300	Hippolais polyglotta	c	significant	C	B	C	B	202412
B	A300	Hippolais polyglotta	r	significant	C	B	C	B	202412
B	A251	Hirundo rustica	r	significant	C	B	C	B	202412
B	A233	Jynx torquilla	c	significant	C	B	C	A	202412
B	A233	Jynx torquilla	r	significant	C	B	C	A	202412
B	A338	Lanius collurio	c	significant	C	B	C	B	202412
B	A459	Larus calchinnans	w	significant	C	B	C	B	202412
B	A179	Larus ridibundus	w	significant	C	B	C	B	202412
B	A476	Linaria cannabina	w	significant	C	B	C	B	202412
B	A476	Linaria cannabina	c	significant	C	B	C	B	202412
B	A271	Luscinia megarhynchos	c	significant	C	B	C	B	202412

B	A27 1	Luscinia megarhy nchos	r	significant	C	B	C	B	20241 2
B	A85 5	Mareca penelope	c	significant	C	B	C	B	20241 2
B	A07 3	Milvus migrans	c	non-significan t					20241 2
B	A26 2	Motacilla alba	w	significant	C	B	C	B	20241 2
B	A26 2	Motacilla alba	r	significant	C	B	C	B	20241 2
B	A26 1	Motacilla cinerea	r	significant	C	B	C	B	20241 2
B	A26 1	Motacilla cinerea	w	significant	C	B	C	B	20241 2
B	A26 0	Motacilla flava	c	significant	C	B	C	B	20241 2
B	A26 0	Motacilla flava	w	significant	C	B	C	B	20241 2
B	A31 9	Muscica pa striata	r	significant	C	B	C	B	20241 2
B	A31 9	Muscica pa striata	c	significant	C	B	C	B	20241 2
B	A02 3	Nycticora x nyctico rax	c	significant	C	B	C	C	20241 2
B	A33 7	Oriolus oriolus	r	significant	C	B	C	B	20241 2
B	A09 4	Pandion haliaetus	c	significant	C	B	C	B	20241 2
B	A33 0	Parus major	p	significant	C	B	C	B	20241 2
B	A62 0	Passer d omesticu s	p	significant	C	B	C	B	20241 2

B	A356	Passer montanus	p	significant	C	B	C	B	202412
B	A115	Phasianus colchicus	p	significant	C	B	C	B	202412
B	A273	Phoenicurus ochrurus	w	significant	C	B	C	B	202412
B	A274	Phoenicurus phoenicurus	c	significant	C	C	C	C	202412
B	A572	Phylloscopus collybita	w	significant	C	B	C	B	202412
B	A572	Phylloscopus collybita	c	significant	C	B	C	B	202412
B	A314	Phylloscopus sibilatrix	c	significant	C	B	C	B	202412
B	A316	Phylloscopus trochilus	c	significant	C	B	C	B	202412
B	A343	Pica pica	w	non-significant					202412
B	A866	Picus viridis	p	significant	C	B	C	A	202412
B	A140	Pluvialis apricaria	c	non-significant					202412
B	A493	Poecile palustris	p	significant	C	B	C	B	202412
B	A266	Prunella modularis	c	significant	C	B	C	B	202412
B	A266	Prunella modularis	w	significant	C	B	C	B	202412

B	A318	Regulus ignicapilla	w	significant	C	B	C	B	202412
B	A317	Regulus regulus	w	significant	C	B	C	B	202412
B	A336	Remiz pendulinus	p	significant	C	B	C	B	202412
B	A276	Saxicola torquatus	c	significant	C	B	C	B	202412
B	A155	Scolopax rusticola	c	significant	C	B	C	B	202412
B	A361	Serinus serinus	r	significant	C	B	C	B	202412
B	A361	Serinus serinus	c	significant	C	B	C	B	202412
B	A361	Serinus serinus	w	significant	C	B	C	B	202412
B	A332	Sitta europaea	p	non-significant					202412
B	A856	Spatula querquedula	c	significant	C	B	C	B	202412
B	A478	Spinus spinus	w	significant	C	B	C	B	202412
B	A478	Spinus spinus	c	significant	C	B	C	B	202412
B	A193	Sterna hirundo	c	significant	C	B	C	B	202412
B	A885	Sternula albifrons	c	significant	C	B	C	B	202412
B	A209	Streptopelia decaocto	p	significant	C	B	C	B	202412
B	A210	Streptopelia turtur	c	significant	C	B	C	B	202412
B	A210	Streptopelia turtur	r	significant	C	B	C	B	202412

B	A21 9	Strix aluco	p	significant	C	B	C	B	20241 2
B	A35 1	Sturnus vulgaris	p	significant	C	B	C	B	20241 2
B	A31 1	Sylvia atr icapilla	w	significant	C	B	C	B	20241 2
B	A31 1	Sylvia atr icapilla	r	significant	C	B	C	B	20241 2
B	A31 1	Sylvia atr icapilla	c	significant	C	B	C	B	20241 2
B	A31 0	Sylvia borin	c	significant	C	B	C	B	20241 2
B	A30 9	Sylvia co mmunis	c	significant	C	B	C	B	20241 2
B	A57 4	Sylvia curruca	c	significant	C	B	C	B	20241 2
B	A16 6	Tringa glareola	c	significant	C	B	C	B	20241 2
B	A16 4	Tringa nebularia	c	significant	C	B	C	B	20241 2
B	A16 5	Tringa ochropus	c	significant	C	B	C	B	20241 2
B	A16 2	Tringa totanus	c	significant	C	B	C	B	20241 2
B	A26 5	Troglodyt es troglo dytes	w	significant	C	B	C	B	20241 2
B	A26 5	Troglodyt es troglo dytes	c	significant	C	B	C	B	20241 2
B	A28 6	Turdus iliacus	w	significant	C	B	C	B	20241 2
B	A28 6	Turdus iliacus	c	significant	C	B	C	B	20241 2
B	A28 3	Turdus merula	w	significant	C	B	C	B	20241 2

B	A28 3	Turdus merula	c	significant	C	B	C	B	20241 2
B	A28 3	Turdus merula	r	significant	C	B	C	B	20241 2
B	A28 5	Turdus p hilomelo s	w	significant	C	B	C	B	20241 2
B	A28 5	Turdus p hilomelo s	c	significant	C	B	C	B	20241 2
B	A28 4	Turdus pilaris	c	significant	C	B	C	B	20241 2
B	A28 4	Turdus pilaris	w	significant	C	B	C	B	20241 2
B	A21 3	Tyto alba	p	significant	C	B	C	B	20241 2
B	A14 2	Vanellus vanellus	c	non-significan t					20241 2
I	1060	Lycaena dispar	p	non-significan t					20241 2

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Significance: Indicates if the occurrence is significant or not.

SPA classification: Alndicate if the bird species met the ornithological criteria used to justify SPA classification.

Population: Size and density of the population of the species present on the site in relation to the populations present within national territory, assigned to following percentage classes: A1 = 75-100%; A2 = 50-75%; A3 = 25-50%; A4 = 15-25%; B = 2-15%; C = smaller than 2%.

Conservation: Degree of conservation: A = excellent (nearly all of the habitat occupied by the species has sufficient quality); B = good (most of the habitat occupied by the species has sufficient quality); C = reduced (most of the habitat occupied by the species has non-sufficient quality); X = unknown (most of the habitat occupied by the species has unknown quality).

Conservation objectives: prevent = Prevent deterioration; maintain = Maintain the extent and good quality of the habitat of the species and the population size; enlarge = Enlarge area of the habitat of the species; improve = Improve the quality of the habitat of the species (considering also disturbance and mortality factors); reestablish = Re-establish habitat for the species; increase = Increase the population size; reduce = Reduce pressure on the population (e.g. reduce mortality or disturbance); reestablishPopulation = Re-establish the population at the site; other = Other.

Isolation: Degree of isolation: A = population (almost) isolated, B = population not-isolated, but on the margins of are of distribution, C = population not-isolated within extended distribution range.

Global: Global assessment of the species in the site: A = excellent; B = good; C = significant.

Global: Date or period of the last update.

3.3 Other important species of flora and fauna (optional)

3.3.1 Group	3.3.2 Code	3.3.3 Scientific name	3.3.4 Sensitive	3.3.5 Not present	3.3.6.1 Size min	3.3.6.1 Size max	3.3.6.2 Population unit	3.3.7 Abundance
A		Bufo bufo		no				R
A	6962	Bufotes viridis Complex		no				P
A	5358	Hyla intermedia		no				P
A	1209	Rana dalmatina		no				R
I	1026	Helix pomatia		no				C
I	1040	Stylurus flavipes		no				C
I	1033	Unio elongatulus		no				C
M		Crocidura suaveolens		no				P
M	1327	Eptesicus serotinus		no				P
M		Erinaceus europaeus		no				C
M	5365	Hypsugo savii		no				P
M		Martes foina		no				C
M		Micromys minutus		no				P
M	1341	Muscardinus avellanarius		no				P
M		Mustela nivalis		no				C
M		Neomys fodiens		no				P
M	1312	Nyctalus noctula		no				P
M	2016	Pipistrellus kuhlii		no				P
P		Oenanthe aquatica		no				P
P		Persicaria hydropiper		no				P

P		Persicaria lapathifolia	no	P
P		Rorippa amphibia	no	P
P		Rorippa palustris	no	P
P		Stachys palustris	no	P
R		Anguis fragilis	no	R
R	5670	Hierophis viridiflavus	no	C
R	5179	Lacerta bilineata	no	C
R		Natrix natrix helvetica	no	C
R	1292	Natrix tessellata	no	R
R	1256	Podarcis muralis	no	C
R	6091	Zamenis longissimus	no	R

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Code: For Birds, Annex II, IV and V species the code from the official code list as provided in the reference portal..

Sensitive: Species indicated with “true” are classified as sensitive.

Not present: Indicates whether the species is no longer present (noLongerPresent) on the site.

Unit: The unit of population size values, the standard is i = individuals, p = pairs. For exceptions see reference portal.

Abundance: Abundance category to be provided if no number of population size is available: C = Common; R = Rare, V = Very rare; P = Present.

3.3.8 Motivation

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
	Anguis fragilis											X				
	Bufo bufo											X				
6962	Bufo viridis Complex		X													

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
	Crocidura suaveolens											X				
1327	Eptesicus serotinus		X													
	Erinaceus europaeus											X				
1026	Helix pomatia			X												
5670	Hierophis viridiflavus		X									X				
5358	Hyla intermedia		X									X				
5365	Hypsugo savii		X									X				
5179	Lacerta bilineata		X									X				
	Martes foina											X				
	Micromys minutus															X
1341	Muscardinus avellanarius		X													
	Mustela nivalis											X				
	Natrix natrix helvetica											X				
1292	Natrix tessellata		X													
	Neomys fodiens											X				

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
1312	Nyctalus noctula		X													
	Oenanthe aquatica															X
	Persicaria hydropiper															X
	Persicaria lapathifolia															X
2016	Pipistrellus kuhlii		X													
1256	Podarcis muralis		X													
1209	Rana dalmatina		X													
	Rorippa amphibia															X
	Rorippa palustris															X
	Stachys palustris															X
1040	Stylurus flavipes		X													
1033	Unio elongatulus			X												
6091	Zamenis longissimus		X													

Motivation: The motivation for listing additional species: H.D. Annex II = Species of Annex II Habitats Directive in SPA; H.D. Annex IV = Species of Annex IV Habitats Directive; H.D. Annex V = Species of Annex V Habitats Directive; B.D. Annex I = Bird species of Annex I Birds Directive in a pSCI, SCI, SAC; Migratory birds = Migratory bird species in a pSCI, SCI, SAC; CFP prohib. = Prohibited species of Annex I of the Technical Measures Regulation under the common fisheries policy (EU Regulation 2019/1241); Int conv. = Species listed/protected under international Conventions; H.D. Annex I = Typical species of Annex I habitat types; CWR/FRG = Crop Wild Relatives (CWR) / Forest Genetic Resources (FGR); IAS Union = Invasive alien species of Union concern (EU Regulation 1143/2014 on invasive alien species).

4. Site description

4.1 Site characteristics

Non si evidenziano altre caratteristiche nel sito

4.2 Quality and importance of the site

Sito di rilevante interesse naturalistico per la presenza di lembi relitti dell'originaria foresta planiziale lombarda, ancorchè in facies degradate e bisognose di urgenti interventi di ripristino. Molto significativa la componente faunistica, in particolare quella avifaunistica, con presenza di numerose specie caratteristiche degli ambienti umidi e di specie di interesse comunitario. Presenza potenziale anche di *Lutra lutra*.

4.3 Pressures on the site

4.3.1	4.3.2	4.3.3	4.3.4
Pressure code	Rank	Location	Further details
PB08	low	in	
PF05	medium	inout	
PI02	medium	inout	
PJ03	medium	inout	
PJ10	high	inout	
PL01	low	inout	
PL05	medium	inout	
PM02	medium	in	
PM07	high	in	

Pressure code: Pressure code

Rank: Relative importance of a pressure in the categories high, medium, low.

Location: Indicates where the pressure is located: in = within the site; out = outside of the site; inout = within and outside of the site.

4.3.5 Last update of the information on the pressures on the site

202512

4.4 Documentation

Brichetti P. & Fasola M. (eds), 1990. Atlante degli uccelli nidificanti in Lombardia. Editoriale Ramperto. Fasola M., Villa M. & Canova L., 2003. Le zone umide. Colonie di aironi e biodiversità nella pianura lombarda. Regione Lombardia e Provincia di Pavia. Fornasari L., Bottoni L., Massa R., Fasola M., Brichetti P. & Vigorita V. (eds), 1992. Atlante degli uccelli svernanti in Lombardia. Regione Lombardia - Università degli Studi di Milano. Fornasari L. & Villa M. (eds), 2001. La fauna dei Parchi lombardi. CD-Rom. Regione Lombardia. Provincia di Mantova "Rapporto sullo stato dell'ambiente nel territorio mantovano", Mantova 2001. Bernini F., Bovini L., Ferri V., Gentili A., Razzetti E., Scali S. 2004. Atlante degli Anfibi e dei Rettili della Lombardia. "Monografie di Pianura" n. 5. Provincia di Cremona, Cremona.

4.4.1 Link(s)

4.4.2 Last update of the documentation information

202412

5. Site management

5.1 Body responsible for the site management

5.1.1 Name of the organization

Ente Regionale per i Servizi all'Agricoltura e alle Foreste

5.1.2 Contact point in the organisation (optional)

No information provided

5.1.3 Postal address

Via Pola 12, 20124 Milano

5.1.4 Functional mailbox email address

ersaf@pec.regione.lombardia.it

5.1.5 Website with contact information

No information provided

5.2 Management plans

5.2.1 Existence of management plan(s)

Yes

5.2.2 Reference and validity of the management plan(s)

Name of the plan	Link to the plan (URI)	Validity of the plan (start date)	Duration (number of months)
Piano di Assestamento Forestale Semplificato delle Foreste di Lombardia	https://www.regione.lombardia.it/wp-content/uploads/2019/05/Portale-istituzionale-HP-DettaglioRedazionale-servizi-e-informazioni/Enti-e-Operatori/ambiente-ed-energie/Parchi-e-aree-protette/biodiversita-e-reti-ecologiche/red-piani-gestione-misure-conservazione-siti-natura-2000-amb/red-piani-gestione-misure-conservazione-siti-natura-2000-amb		Not undefined

5.2.3 Further explanations

5.3 Conservation measures

5.3.1 Detailed information on measures

Necessary conservation measures are included in the management plan(s)

Necessary conservation measures are described in the following document(s)

5.3.1.b Title	5.3.1.c Link to online resource
Integrazione delle misure di conservazione delle zone di conservazione speciale (ZSC) della Lombardia in base ai siti specifici sensibili	https://www.regione.lombardia.it/wp-content/uploads/2019/05/Portale-istituzionale-HP-DettaglioRedazionale-servizi-e-informazioni/Enti-e-Operatori/ambiente-ed-energie/Parchi-e-aree-protette/biodiversita-e-reti-ecologiche/red-piani-gestione-misure-conservazione-siti-natura-2000-amb/red-piani-gestione-misure-conservazione-siti-natura-2000-amb

Further explanations on detailed conservation measures

Misure di conservazione per la tutela delle ZPS lombarde (DGR 9275 del 23/04/2009); Misure di conservazione ZSC sito-specifiche approvate con DGR n. XII/ 4008 del 03/03/2025

5.3.2 Status of conservation measures

Are the necessary measures established?

Are the established measures implemented?

5.4 Management effectiveness

Is the effectiveness of the conservation measures periodically assessed?

Further explanations on detailed conservation measures

6. Geospatial representation of the site

6.1 INSPIRE identifier

6.1.1 Namespace

6.1.2 Local identifier

6.1.3 Version identifier (optional)